§ 114.540

Wire means an individual insulated conductor without an outer protective iacket.

Work space means a space, not normally occupied by a passenger, in which a crew member performs work and includes, but is not limited to, a galley, operating station, or machinery space.

[CGD 85-080, 61 FR 887, Jan. 10, 1996; 61 FR 20556, May 7, 1996, as amended by CGD 97-057, 62 FR 51047, Sept. 30, 1997; CGD 85-080, 62 FR 51347, Sept. 30, 1997; 62 FR 64305, Dec. 5, 1997]

§114.540 Equivalents.

(a) The Commandant may approve any arrangement, fitting, appliance, apparatus, equipment, calculation, information, or test which provides a level of safety equivalent to that established by specific provisions of this subchapter. Requests for approval must be submitted to the Marine Safety Center. If necessary, the Marine Safety Center may require engineering evaluations and tests to demonstrate the equivalence of the substitute.

(b) The Commandant may accept compliance by a high speed craft with the provisions of the International Maritime Organization (IMO) "Code of Safety for High Speed Craft" as an equivalent to compliance with applicable requirements of this subchapter. Requests for a determination of equivalency for a particular vessel must be submitted to the Marine Safety Center.

(c) The Commandant may approve a novel lifesaving appliance or arrangement as an equivalent if it has performance characteristics at least equivalent to the appliance or arrangement required under this part, and:

(1) Is evaluated and tested under IMO Resolution A.520(13), "Code of Practice for the Evaluation, Testing and Acceptance of Prototype Novel Life-Saving Appliances and Arrangements"; or

(2) Has successfully undergone an evaluation and tests that are substantially equivalent to those recommendations

[CGD 85-080, 61 FR 885, Jan. 10, 1996, as amended at 62 FR 51348, Sept. 30, 1997]

§114.550 Special consideration.

In applying the provisions of this subchapter, the OCMI may give special consideration to authorizing depar-

tures from the specific requirements when unusual circumstances or arrangements warrant such departures and an equivalent level of safety is provided. The OCMI of each marine inspection zone in which a vessel operates must approve any special consideration granted to the vessel.

§114.560 Appeals.

Any person directly affected by a decision or action taken under this subchapter, by or on behalf of the Coast Guard, may appeal therefrom in accordance with §1.03 in subchapter A of this chapter.

§ 114.600 Incorporation by reference.

(a) Certain material is incorporated by reference into this subchapter with the approval of the Director of the Federal Register in accordance with Title 5 United States Code (U.S.C.) 552(a) and Title 1 Code of Federal Regulations (CFR) Part 51. To enforce any edition other than that specified in paragraph (b) of this section, the Coast Guard must publish a notice of change in the FEDERAL REGISTER and make the material available to the public. All approved material is on file at the Office of the Federal Register, 800 North Capitol Street, NW., suite 700 Washington, DC, and at the U.S. Coast Guard, Office of Operating and Environmental Standards (G-MSO), 2100 Second Street SW., Washington, DC 20593-0001 and is available from the sources indicated in paragraph (b) of this section.

(b) The material approved for incorporation by reference in this subchapter and the sections affected are:

American Boat and Yacht Council (ABYC)

3069 Solomons Island Road, Edgewater, MD 21037

A-1-93—Marine Liquified Petroleum
Gas (LPG) Systems121.240
A-3-93—Galley Stoves121.200
A-7-70—Boat Heating Systems121.200
A-22-93—Marine Compressed Natural
Gas (CNG) Systems121.240
H-25-94—Portable Gasoline Fuel Sys-
tems for Flammable Liquids119.458
P-1-93—Installation of Exhaust Sys-
tems for Propulsion and Auxiliary
Engines116.405; 119.425; 119.430

Coast Guard, DOT § 114.600 tice for Electrical Installations on American Bureau of Shipping (ABS) Shipboard120.340 Two World Trade Center, 106th Floor, International Maritime Organization New York, NY 10048 (IMO) Rules for Building and Classing Aluminum Vessels, 1975......116.300 International Maritime Organization, Rules for Building and Classing Steel Publications Section, 4 Albert Em-bankment, London SE1 7SR United Vessels Under 61 Meters (200 Feet) Kingdom in Length, 1983......116.300 Code of Practice for the Evaluation, Rules for Building and Classing Steel Testing and Acceptance of Proto-Vessels for Service on Rivers and type Novel Life-Saving Appliances Intracoastal Waterways, 1995......116.300 Arrangements—Resolution Guide for High Speed Craft, 1997......116.300 A.520(13), dated 17 November 1983 American National Standards Institute Use and Fitting of Retro-Reflective Materials on Life-Saving Appli-(ANSI) ances, Resolution A.658(16), dated 11 West 42nd Street, New York, NY 20 November 1989......122.604 10036 Fire Test Procedures For Ignitability A 17.1-1984, including supplements A of Bedding Components, Resolu-17.1a and b-1985-Safety Code for tion A.688(17) dated 06 November Elevators and Escalators120.540 1991116.405(j) Symbols Related to Life-Saving Appli-B 31.1-1986—Code for Pressure Piping, Power Piping119.710 ances and Arrangements, Resolu-Z 26.1-1977, including 1980 suppletion A.760(18) dated 17 November ment—Safety Glazing Materials For Glazing Motor Vehicles Oper-1993122.604(g) ating on Land Highways116.1030 National Fire Protection Association (NFPA) American Society for Testing and Materials (ASTM) Batterymarch Park, Quincy, MA 02269-9101 Barr Harbor West Drive. NFPA 10-1994—Portable Fire Extin-Conshohocken, PA 19428-2959 guishers115.810 B-117-73 (Reapproved 1979)-Method of NFPA 13-1996—Installation of Sprin-Salt Spray (Fog) Testing114.400 D-93-94—Flash Point By Penskykler Systems......116.439 NFPA 17-1994—Dry Chemical Extin-Martens Closed Cup Tester114.400 guishing Systems......118.425 D-635-91—Rate of Burning and/or Ex-NFPA 17A-1994—Wet Chemical Extintent and Time of Burning of Selfguishing Systems......118.425 supporting Plastics in a Horizontal NFPA 70-1996—National Electrical Code (NEC) Section 250-95120.370 Oxygen Concentration to Support Section 310-13120.340 Candle-like Combustion of Plas-Section 310-15120.340 tics (Oxygen Index)......119.440 E-84-94—Surface Burning Characteris-Article 430......120.320 Article 445......120.320 tics of Building Materials.....114.400; NFPA 92B-1995-Smoke Management 116.422; 116.423 Systems in Malls, Atria, and Large E-648-94a-Critical Radiant Flux of Areas......116.440 Floor-Covering Systems Using a NFPA 261-1994—Test For Determining Radiant Heat Energy Source....400; 116.423 Resistance of Mock-up Uphol-stered Furniture Material Assem-E-662-94a—Specific Optical Density of Smoke Generated by Solid Mateblies to Ignition by Smoldering rials114.400: 116.423 Cigarettes114.400; 116.423 NFPA 302-1994-Pleasure and Commer-Institute of Electrical and Electronics cial Motor Craft, Chapter 6.....121.200; Engineers, Inc. (IEEE) NFPA 306-1993—Control of Gas Haz-IEEE Service Center, 445 Hoes Lane,

Resistant Textiles and Films116.423

Piscataway, NJ 08854

Standard 45-1977—Recommended Prac-

§ 114.800

NFPA 1963-1993—Fire Hose Connections118.320
Underwriters Laboratories Inc. (UL)
12 Laboratory Drive, Research Triangle Park, NC 27709
UL 19-1992—Lined Fire Hose and Hose Assemblies118.320 UL 174-1989, as amended through June
23, 1994—Household Electric Storage Tank Water Heaters119.320
UL 486A-1992—Wire Connectors and Soldering Lugs For Use With Cop- per Conductors120.340
UL 489-1995—Molded-Case Circuit Breakers and Circuit Breaker En- closures
UL 595-1991—Marine Type Electric Lighting Fixtures120.410
UL 710-1990, as amended through Sep- tember 16, 1993—Exhaust Hoods For Commercial Cooking Equip-
ment118.425 UL 723-1993, as amended through April 20, 1994—Surface Burning Characteristics of Building Materials114.400;
116.422; 116.423; 116.425 UL 1056-1989—Fire Test of Upholstered
Furniture
Extinguishing System Units118.410 UL 1102-1992—Non integral Marine Fuel Tanks119.440
UL 1104-1981, as amended through May 4, 1988—Marine Navigation Lights 120.420
UL 1110-1988, as amended through May 16, 1994—Marine Combustible Gas Indicators119.480
UL 1453-1988, as amended through June 7, 1994—Electric Booster and Commercial Storage Tank Water Heaters
UL 1570-1995—Fluorescent Lighting Fixtures120.410
UL 1571-1995—Incandescent Lighting Fixtures120.410
UL 1572–1995—High Intensity Discharge Lighting Fixtures120.410
UL 1573-1995—Stage and Studio Lighting Units
120.410
[CGD 85-080, 61 FR 885, Jan. 10, 1996, as amended by CGD 96-041, 61 FR 50730, Sept. 27, 1996; CGD 97-057, 62 FR 51047, Sept. 30, 1997; CGD 85-080, 62 FR 51348, Sept. 30, 1997]
§114.800 Approved equipment and ma-

$\S 114.800$ Approved equipment and material.

(a) Equipment and material that is required by this subchapter to be approved or of an approved type, must

have been manufactured and approved in accordance with the design and testing requirements in subchapter Q (Equipment, Construction, and Materials: Specifications and Approval) of this chapter or as otherwise specified by the Commandant.

(b) Coast Guard publication COMDTINST M16714.3 (Series) "Equipment Lists, Items Approved, Certificated or Accepted under Marine Inspection and Navigation Laws," lists approved equipment by type and manufacturer. COMDTINST M16714.3 (Series) may be obtained from New Orders, Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250-7954.

[CGD 85-080, 61 FR 885, Jan. 10, 1996, as amended at 62 FR 51348, Sept. 30, 1997]

§114.900 OMB control numbers.

(a) Purpose. This section lists the control numbers assigned to information collection and recordkeeping requirements in this subchapter by the Office of Management and Budget (OMB) pursuant to the Paperwork Reduction Act of 1980 (44 U.S.C. 3501 et. seq.). The Coast Guard intends that this section comply with the requirements of 44 U.S.C. 3507(f), which requires that agencies display a current control number assigned by the Director of OMB for each approved agency information collection requirement.

(b) Display.

46 CFR Section where identified and described	Current OMB Control No.
115.105(a)	2115-0578
115.202	2115-0578
115.204	2115-0578
115.302	2115-0578
115.306	2115–0578
115.310	2115–0578
115.500(a)	2115–0578
115.612	2115–0578
115.700	2115–0578
115.704	2115–0578
115.710	2115–0578
115.810(b)	2115–0578
115.920(c)	2115–0578
115.930	2115–0578
116.202	2115–0578
116.330	2115–0578
116.340	2115-0578
116.520	2115–0578
116.530	2115–0578
116.610(f)	2115-0578
120.220(d)	2115–0578
120.320(d)	2115–0578
and (e)	0445 0570
121.420	2115–0578